MEDICAL LIBRARY
OPEN SHELF
CURRENT

THE AUSTRALIAN JOURNAL OF EXPERIMENTAL BIOLOGY AND MEDICAL SCIENCE

VOLUME XXXIX

AUTHOR INDEX

Annear, D. I. Recovery of *Strigomonas oncopelti* after drying from the liquid state, 295.

Archer, G. T., and Bosworth, N. Phagocytosis by eosinophils following antigen-antibody reactions *in vitro*, 157.

Archer, G. T., *see also* Bosworth, N.

Bosworth, N., and Archer, G. T. The eosinophil content of the peritoneal cavity of the rat, 165.

Bosworth, N., *see also* Archer, G. T.

Brailsford Robertson memorial lecture. Some aspects of the hormonal control of growth; by F. G. Young, S1-S14.

Brown, B. T., Golder, W. S., and Wright, S. E. The interconversion of oestrone and oestradiol-17β by human and rat blood, 345.

Brown, W. D. Errors in the determination of serum cholesterol, 209.

Brown, W. D. A filtration procedure for determining serum cholesterol with digitonin, 223.

Burnet, D., and Burnet, F. M. Analysis of major histocompatibility factors in a stock of closely inbred white leghorn fowls using a graft-*versus*-host reaction on the chorioallantoic membrane, 101.

Burnet, F. M., *see* Burnet, D.; Warner, N. L.

Cantrill, S., *see* Walsh, R. J.

Clezy, J. K. A., Dennis, B. J., and Kerr, D. I. B. A degeneration study of the somaesthetic afferent systems in the marsupial phalanger, *Trichosurus vulpecula*, 19.

Curtain, C. C. The analysis of electrophoresis patterns: a comparison of two methods with the aid of Rayleigh interference optics, 197.

Curtain, C. C. Localization of 18 S gammamacroglobulin in plasmacytoid cells of the bone marrow of a case of macroglobulinaemia, 391.

Curtain, C. C. The quantitative electrophoresis of serum proteins in the presence of haemoglobin, 203.

Davis, R. E. Folic acid deficiency and urinary formiminoglutamic acid excretion in the rat, 397.

Dawbarn, M. C., Forsyth, H., and Kilpatrick, D. Some factors which affect the growth of *Lactobacillus casei*, 305.

Dennis, B. J., and Kerr, D. I. B. An afferent system in the central tegmental fasciculus, 43.

Dennis, B. J., and Kerr, D. I. B. Somaesthetic pathways in the marsupial phalanger, *Trichosurus vulpecula*, 29.

Dennis, B. J., *see also* Clezy, J. K. A.

Dineen, J. K., and Szenberg, A. The evidence for the survival and regeneration of donor epithelial elements in orthotopically-grafted skin homo-transplants, 487.

Doery, H. M., and North, E. A. The interaction of staphylococcal toxin and ganglioside: 1. Inactivation of the lethal effect of staphylococcal toxin in mice, 333.

Doery, H. M., *see also* North, E. A.

Egan, J. B., and Holloway, B. W. Genetic studies in lysogeny in *Pseudomonas aeruginosa*, 9.

Fantl, P. A comparative study of blood coagulation in vertebrates, 403.

Fazekas de St.Groth, S., and Webster, R. G. Methods in immunochemistry of viruses.

1. Equilibrium filtration, 549.
2. Evaluation of parameters from equilibrium measurements (Fazekas de St.Groth), 563.

Fisher, S. Observations on an anti-staphylococcal mouse protective antibody in human sera, 413.

Forsyth, H., *see* Dawbarn, M. C.

Fowler, R., Jnr., and West, C. D. Further evidence against the graft-versus-host hypothesis in renal transplantation, 537.

Gallagher, C. H. The effect of hepatotoxins on E_{260} values of liver and of serum, 323.

George, E. P. Resistance values in a syncytium, 267.

George, E. P., and Johnson, E. A. Solutions of the Hodgkin-Huxley equations for squid axon treated with tetraethylammonium and in potassium-rich media, 275.

Gibson, F., and McDougall, B. The effect of chloramphenicol and oxytetracycline on the formation of intermediates in tryptophan biosynthesis, 171.

Golder, W. S., *see* Brown, B. T.

Green, L. M. A. Sweat glands in the skin of the quokka of Western Australia, 481.

Groth, Fazekas de St., S., *see* Fazekas de St.Groth, S.

Hackett, E., and LePage R. The clotting of the blood of an amphibian, *Bufo marinus* Linn.

1. Prothrombin – thrombin and "fibrinogen-fibrin" stages, 57.
2. Blood thromboplastic activity, 67.

Hewgill, F. R., *see* Johnson, A. R.

Hillcoat, B. L. The excretion of β-aminoisobutyric acid following thymine and dihydrothymine administered to man, 423.

Hodgetts, V. E. The dynamic red cell storage function of the spleen in sheep.

3. Relationship to determination of blood volume, total red cell volume, and plasma volume, 187.

Holden, H. F., and Lynikas, K. The production of green pigments from the blood pigment, 595.

Holloway, B. W., *see* Egan, J. B.

Hurley, J. V., and Xeros, N. Electron microscopic observations on the emigration of leucocytes, 609.

Ishidate, M., *see* Metcalf, D.

Johnson, A. R., and Hewgill, F. R. The effect of the antioxidants, butylated hydroxy anisole, butylated hydroxy toluene and propyl gallate on growth, liver and serum lipids and serum sodium levels of the rat, 353.

Johnson, E. A., Tille, J., and Wilson, L. The effect of a change in shape of the cardiac action potential on the ionic conductances, 179.

Johnson, E. A., *see also* George, E. P.

Kerr, D. I. B., *see* Clezy, J. K. A.; Dennis, B. J.

Kilpatrick, D., *see* Dawbarn, M. C.

LePage, R., *see* Hackett, E.

Lind, P. E., and Szenberg, A. Quantitative aspects of the Simonsen phenomenon.

3. The effect of immunization of the donor fowl, 507.

Lynikas, K., *see* Holden, H. F.

McDougall, B., *see* Gibson, F.

Margolis, J. The effect of colloidal silica on blood coagulation, 249.

Metcalf, D., Sparrow, N., Nakamura, K., and Ishidate, M. The behaviour of thymus grafts in high and low leukaemia strains of mice, 441.

Morgan, E. H. Iron storage and transport after administration of viable erythrocytes to the albino rat, 361.

Morgan, E. H. Iron storage and transport in iron-depleted rats, with notes on combined iron and copper deficiency, 371.

Morris, L. R., *see* Ryle, M.

Nakamura, K., *see* Metcalf D.

Nayler, W. G. Changes in cardiac contractility evoked under isotonic and isometric conditions, 429.

North, E. A., Pawlyszyn, G., and Doery, H. M. The action of phosphatidase A, sodium oleate and ganglioside on the exotoxins of *Cl. welchii* and on the neurotoxin of *Shigella shigae*, 259.

North, E. A., *see also* Doery, H. M.

Onesti, P., *see* Pitney, W. R.

Opit, L. J., and Savage, J. P. Glucose metabolism in human (Thiersch) skin grafts, 601.

Owen, G. C., *see* Thayer, J. R.

Parker, C. A. A method for the measurement of total nitrogen in microgram amounts, 515.

Pawlyszyn, G., *see* North, E. A.

Pitney, W. R., and Onesti, P. Vitamin B_{12} and folic acid concentrations of human liver with reference to the assay of needle biopsy material, 1.

Pope, J. H. Studies of a virus isolated from a wild house mouse, *Mus musculus*, and producing splenomegaly and lymph node enlargement in mice, 521.

Roberts, D. S. The life cycle of *Dermatophilus dermatonomus*, the causal agent of ovine mycotic dermatitis, 463.

Robertson memorial lecture, *see* Brailsford Robertson memorial lecture.

Ryle, M., and Morris, L. R. Some quantitative studies on tissues of lambs dwarfed by high temperatures during gestation, 79.

St.Groth, Fazekas de, S., *see* Fazekas de St.Groth, S.

Savage, J. P., *see* Opit, L. J.

Scott, T. W., *see* Wales, R. G.

Somers, M. Factors influencing the secretion of nitrogen in sheep saliva.

1. The distribution of nitrogen in the mixed and parotid saliva of sheep, 111.
2. The influence of nitrogen intake upon blood urea nitrogen and upon the total nitrogen and urea nitrogen in the parotid saliva of sheep, 123.
3. Factors affecting the nitrogen fractions in the parotid saliva of sheep with special reference to the influence of ammonia production in the rumen and fluctuations in level of blood urea, 133.
4. The influence of injected urea on the quantitative recovery of urea in the parotid saliva and the urinary excretions of sheep, 145.

Sparrow, N., *see* Metcalf, D.

Szenberg, A., *see* Dineen, J. K.; Lind, P. E.

Thayer, J. R., and Owen, G. C. An improved method for aseptic ultrafiltration, 477.

Tille, J., *see* Johnson, E. A.

Wales, R. G., Scott, T. W., and White, I. G. Biuret reactive materials in semen, 455.

Walsh, R. J., and Cantrill, S. The mechanism of absorption of subcutaneous extravasations of blood, 381.

Warner, N. L., and Burnet, F. M. The influence of anti-inflammatory corticosteroids on the growth of the chick embryo and the manifestations of the Simonsen phenomenon, 235.

Webster, R. G., *see* Fazekas de St.Groth, S.

West, C. D., *see* Fowler, R., Jnr.

White, I. G., *see* Wales, R. G.

Wilson, L., *see* Johnson, E. A.

Woolley, G. Effects of morphine sulphate on capillary filtration and thoracic duct lymph formation in the rat, 583.

Wright, S. E., *see* Brown, B. T.

Xeros, N., *see* Hurley, J. V.

Youatt, J. Pigments produced by *Mycobacteria* on exposure to isoniazid, 93.

Young, F. G. Some aspects of the hormonal control of growth, S1-S14.

Supplement. Special supplement. Brailsford Robertson memorial lecture. Some aspects of the hormonal control of growth; by F. G. Young. Delivered to the Medical Sciences Club of South Australia, Adelaide, on 26th October, 1960. S1-S14.

SUBJECT INDEX

Afferent system in the central tegmental fasciculus (Dennis and Kerr), 43.

β-Aminoisobutyric acid, the excretion of, following thymine and dihydrothymine administration to man (Hillcoat), 423.

Antioxidants, butylated hydroxy anisole, butylated hydroxy toluene and propyl gallate, the effect of the, on growth, liver and serum lipids and serum sodium levels of the rat (Johnson and Hewgill), 353.

Anti-staphylococcal mouse protective antibody in human sera, observations on an (Fisher), 413.

Axon, squid, treated with tetraethyl-ammonium and in potassium-rich media, solutions of the Hodgkin-Huxley equations for (George and Johnson), 275.

Blood, clotting of the, of an amphibian, *Bufo marinus* Linn.

1. Prothrombin-thrombin and "fibrinogen-fibrin" stages (Hackett and LePage), 57.
2. Blood thromboplastic activity (Hackett and LePage), 67.

Blood coagulation, the effect of colloidal silica on (Margolis), 249.

Blood coagulation in vertebrates, a comparative study of (Fantl), 403.

Blood, subcutaneous extravasations of, the mechanism of absorption of (Walsh and Cantrill), 381.

Blood volume, *see under* Spleen.

Capillary filtration and thoracic duct lymph formation in the rat, effects of morphine sulphate on (Woolley), 583.

Cardiac action potential, the effect of a change in shape of the, on the ionic conductances (Johnson, Tille and Wilson), 179.

Cardiac contractility, changes in, evoked under isotonic and isometric conditions (Nayler), 429.

Chloramphenicol and oxytetracycline, the effect of, on the formation of intermediates in tryptophan biosynthesis (Gibson and McDougall), 171.

Cholesterol, serum, errors in the determination of (Brown), 209.

Cholesterol, serum, a filtration procedure for determining, with digitonin (Brown), 223.

Copper and iron deficiency, combined, notes on (Morgan), 371.

Corticosteroids, the influence of anti-inflammatory, on the growth of the chick embryo and the manifestations of the Simonsen phenomenon (Warner and Burnet), 235.

Dermatophilus dermatonomus, the life cycle of, the causal agent of ovine mycotic dermatitis (Roberts), 463.

Digitonin, a filtration procedure for determining serum cholesterol with (Brown), 223.

E_{260} values of liver and of serum, the effect of hepatotoxins on (Gallagher), 323.

Electrophoresis patterns, the analysis of: a comparison of two methods with the aid of Rayleigh interference optics (Curtain), 197.

Electrophoresis, the quantitative, of serum proteins in the presence of haemoglobin (Curtain), 203.

Eosinophil content of the peritoneal cavity of the rat (Bosworth and Archer), 165.

Eosinophils, phagocytosis by, following antigen-antibody reactions *in vitro* (Archer and Bosworth), 157.

Folic acid and vitamin B_{12} concentrations of human liver with reference to the assay of needle biopsy material (Pitney and Onesti), 1.

Folic acid deficiency and urinary formiminoglutamic acid excretion in the rat (Davis), 397.

Formiminoglutamic acid, urinary, excretion and folic acid deficiency in the rat (Davis), 397.

18 S gamma-macroglobulin, localization of, in plasmacytoid cells of the bone marrow of a case of macroglobulinaemia (Curtain), 391.

Ganglioside and staphylococcal toxin, the interaction of.

1. Inactivation of the lethal effect of staphylococcal toxin in mice (Doery and North), 333.

Ganglioside, phosphatidase A and sodium oleate, the action of, on the exotoxins of *Cl. welchii* and on the neurotoxin of *Shigella shigae* (North, Pawlyszyn and Doery), 259.

Glucose metabolism, *see* Metabolism, glucose.

Growth, liver and serum lipids and serum sodium levels of the rat, the effect of the antioxidants, butylated hydroxy anisole, butylated hydroxy toluene and propyl gallate on (Johnson and Hewgill), 353.

Growth, some aspects of the hormonal control of (Young), S1.

Hepatotoxins, the effect of, on E_{260} values of liver and of serum (Gallagher), 323.

Histocompatibility factors in a stock of closely inbred white leghorn fowls using a graft-*versus*-host reaction on the chorioallantoic membrane, analysis of major (Burnet and Burnet), 101.

Hodgkin-Huxley equations, solutions of the, for squid axon treated with tetraethylammonium and in potassium-rich media (George and Johnson), 275.

Hormonal control of growth, some aspects of the (Young), S1.

Immunochemistry of viruses, *see* Viruses, methods in immunochemistry of.

Ionic conductances, the effect of a change in shape of the cardiac action potential on the (Johnson, Tille and Wilson), 179.

Iron and copper deficiency, combined, notes on (Morgan), 371.

Iron storage and transport after administration of viable erythrocytes to the albino rat (Morgan), 361.

Iron storage and transport in iron-depleted rats, with notes on combined iron and copper deficiency (Morgan), 371.

Isoniazid, pigments produced by *Mycobacteria* on exposure to (Youatt), 93.

Kidney, transplantation, *see* Transplantation, renal.

Lactobacillus casei, some factors which affect the growth of (Dawbarn, Forsyth and Kilpatrick), 305.

Leucocytes, emigration of, electron microscopic observations on the (Hurley and Xeros), 609.

Leukaemia, high and low, strains of mice, the behaviour of thymus grafts in (Metcalf, Sparrow, Nakamura and Ishidate), 441.

Lipids, liver and serum, growth and serum sodium levels of the rat, the effect of the antioxidants, butylated hydroxy anisole, butylated hydroxy toluene and propyl gallate on (Johnson and Hewgill), 353.

Lymph node enlargement and splenomegaly in mice, studies of a virus (WM1 strain) isolated from a wild house mouse, *Mus musculus*, and producing (Pope), 521.

Lymph, thoracic duct, formation and capillary filtration in the rat, effects of morphine sulphate on (Woolley), 583.

Lysogeny, genetic studies in, in *Pseudomonas aeruginosa* (Egan and Holloway), 9.

Macroglobulinaemia, localization of 18 S gamma-macroglobulin in plasmacytoid cells of the bone marrow of a case of (Curtain), 391.

Metabolism, glucose, in human (Thiersch) skin grafts (Opit and Savage), 601.

Morphine sulphate, effects of, on capillary filtration and thoracic duct lymph formation in the rat (Woolley), 583.

Nitrogen, the secretion of, in sheep saliva, factors influencing:

1. The distribution of nitrogen in the mixed and parotid saliva of sheep (Somers), 111.
2. The influence of nitrogen intake upon blood urea nitrogen and upon the total nitrogen and urea nitrogen in the parotid saliva of sheep (Somers), 123.
3. Factors influencing the nitrogen fractions in the parotid saliva of sheep with special reference to the influence of ammonia production in the rumen and fluctuations in level of blood urea (Somers), 133.
4. The influence of injected urea on the quantitative recovery of urea in the parotid saliva and the urinary excretions of sheep (Somers), 145.

Nitrogen, total, a method for the measurement of, in microgram amounts (Parker), 515.

Oestrone and oestradiol-17β, the interconversion of, by human and rat blood (Brown, Golder and Wright), 345.

Oxytetracycline and chloramphenicol, the effect of, on the formation of intermediates in tryptophan biosynthesis (Gibson and McDougall), 171.

Phagocytosis by eosinophils following antigen-antibody reactions *in vitro* (Archer and Bosworth), 157.

Phosphatidase A, sodium oleate and ganglioside, the action of, on the exotoxins of *Cl. welchii* and on the neurotoxin of *Shigella shigae* (North, Pawlyszyn and Doery), 259.

Pigments, green, from the blood pigment, the production of (Holden and Lynikas), 595.

Pigments produced by *Mycobacteria* on exposure to isoniazid (Youatt), 93.

Plasma volume, *see under* Spleen.

Proteins, serum, the quantitative electrophoresis of, in the presence of haemoglobin (Curtain), 203.

Red cell volume, *see under* Spleen.

Resistance values in a syncytium (George), 267.

Saliva, sheep, *see under* Nitrogen, the secretion of.

Semen, biuret reactive materials in (Wales, Scott and White), 455.

Serum cholesterol, *see* Cholesterol, serum.

Serum proteins, *see* Proteins, serum.

Silica, colloidal, the effect of, on blood coagulation (Margolis), 249.

Simonsen phenomenon, the influence of anti-inflammatory corticosteroids on the growth of the chick embryo and the manifestations of the (Warner and Burnet), 235.

Simonsen phenomenon, quantitative aspects of the.

3. The effect of immunization of the donor fowl (Lind and Szenberg), 507.

Skin grafts, human (Thiersch), glucose metabolism in (Opit and Savage), 601.

Skin homo-transplants, the evidence for the survival and regeneration of donor epithelial elements in orthotopically-grafted (Dineen and Szenberg), 487.

Sodium oleate, phosphatidase A and ganglioside, the action of, on the exotoxins of *Cl. welchii* and on the neurotoxin of *Shigella shigae* (North, Pawlyszyn and Doery), 259.

Somaesthetic afferent systems, a degeneration study of the, in the marsupial phalanger, *Trichosurus vulpecula* (Clezy, Dennis and Kerr), 19.

Somaesthetic pathways in the marsupial phalanger, *Trichosurus vulpecula* (Dennis and Kerr), 29.

Spleen, the dynamic red cell storage function of the, in sheep.

3. Relationship to determination of blood volume, total red cell volume, and plasma volume (Hodgetts), 187.

Splenomegaly and lymph node enlargement in mice, studies of a virus (WM1 strain) isolated from a wild house mouse, *Mus musculus*, and producing (Pope), 521.

Staphylococcal toxin and ganglioside, the interaction of.

1. Inactivation of the lethal effect of staphylococcal toxin in mice (Doery and North), 333.

Strigomonas oncopelti, recovery of, after drying from the liquid state (Annear), 295.

Sweat glands in the skin of the quokka of Western Australia (Green), 481.

Syncytium, resistance values in a (George), 267.

Temperatures, high, during gestation, some quantitative studies on tissues of lambs dwarfed by (Ryle and Morris), 79.

Thymine and dihydrothymine administration to man, the excretion of β-aminoisobutyric acid following (Hillcoat), 423.

Thymus grafts, the behaviour of, in high and low leukaemia strains of mice (Metcalf, Sparrow, Nakamura and Ishidate), 441.

Transplantation, renal, further evidence against the graft-versus-host hypothesis in (Fowler, Jnr., and West), 537.

Transplants, skin, *see* Skin homo-transplants.

Tryptophan biosynthesis, the effect of chloramphenicol and oxytetracycline on the formation of intermediates in (Gibson and McDougall), 171.

Ultrafiltration, an improved method for aseptic (Thayer and Owen), 477.

Virus (WM1 strain) isolated from a wild house mouse, *Mus musculus*, and producing splenomegaly and lymph node enlargement in mice, studies of a (Pope), 521.

Viruses, methods in immunochemistry of.

1. Equilibrium filtration (Fazekas de St.Groth and Webster), 549.
2. Evaluation of parameters from equilibrium measurements (Fazekas de St.Groth), 563.

Vitamin B_{12} and folic acid concentrations of human liver with reference to the assay of needle biopsy material (Pitney and Onesti), 1.